


REFERENCE DETAIL:

STRUCTEAVENT SYSTEM SGRZ

STRUCTURAL GABLE / RAKE WITH ZEE'S

U.S. Patent 7,143,557



COVER MAY BE ONE PIECE (LARGER DETAIL), OR TWO PIECE (AS SHOWN ABOVE) AS DETERMINED BY MANUFACTURER

** FASCIA COVERS 9" AND GREATER WILL HAVE A STIFFENER BEAD / RIB LOCATED AT THE MIDPOINT OF THE FASCIA, UNLESS LOCATED IN THE DIMENSION BOX, OR AS DIRECTED BY ARCHITECT, GENERAL CONTRACTOR, OR INSTALLER. ADDITIONAL STIFFENER BEADS / RIBS, ADDED EVERY 8" THEREAFTER, ALL EVENLY SPACED.

All Fasteners as provided by others
 Base / Zee assembly shipped prefabricated
 Fascia and Closures loose shipped.

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes and quantities. All products to be installed in strict accordance with ACS, LLC printed instructions.

Approved by: _____

Date: _____

COVER:

<input type="checkbox"/> 22 Ga. (.81 mm) Galv. Steel*	<input type="checkbox"/> 24 Ga. (.65 mm) Galv. Steel
<input type="checkbox"/> .040" (1.01 mm) Aluminum*	<input type="checkbox"/> .050" (1.27 mm) Aluminum
<input type="checkbox"/> .063" (1.60 mm) Aluminum	<input type="checkbox"/> Other: _____

Color: _____ Finish: _____

QUANTITIES:


_____ Linear Feet (10'-0" (3.05 M Lengths) Include Waste As Required)

PROJECT: _____

ARCHITECT: _____

CONTRACTOR: _____

REPRESENTATIVE: _____

	ACS, LLC 2550 Five Star Pkwy. Phone : 877-580-9756 Suite 116 Bessemer, AL 35022 www.acs-reps.com	
	DATE: 6-30-10	SHT.# ____ OF ____
	DRN BY: KSK	DWG#
CHK BY: KSK / HA		X